

# PREP COUNTERS

## Quality Preparation Counters

HABS gastronorm refrigerated preparation counters are designed to hold 1/3rd gastronorm pots 150mm deep. Finished in 304 stainless steel and are available in variable sizes. Features include: digital temperature displays, glass canopies, lockable castors and cutting boards.



# PREP COUNTERS

## Refrigerated Preparation Countertops



RHS380/1800

\*Overall height including the glass top 425mm

HABS gastronorm refrigerated preparation countertops are designed to hold 1/3rd gastronorm pots that are 150mm deep. These countertops are finished in 304 stainless steel and are available in two sizes.

Features include: electronic thermostat for perfect temperature control and glass canopy.

Model Number	RHS380/1200	RHS380/1800
External W x D x H (mm)	1200 x 395 x 225*	1800 x 395 x 225*
Internal W x D x H (mm)	845 x 305 x 155	1445 x 305 x 155
Nett Capacity (ltr)	39	68
Number of Pots (not include)	5	8
Voltage Hertz	220 - 240V 50HZ	220 - 240V 50HZ
Compressor Size (cc)	4.4	4.4
Weight Empty (kg)	28	34
Max. Power Consumption Watt per 24kwh/24h	1.3	1.7
Temperature Range (°C)	+2/+8	+2/+8
Refrigerant Gas	R134a	R134a
Insulation Gas	CFC free	CFC free
Insulation Thickness (mm)	50/40	50/40
Max. Ambient Temp (°C)	32	32
Exterior Material	S/S AISI304	S/S AISI304
Interior Material	S/S AISI304	S/S AISI304

# PREP COUNTERS

## Preparation Counters with Blown Air Curtain Over Product



LST350R

All units are finished in 430 S/S, rounded corners and recessed door handles for a modern elegant look



LST650R - with glass canopy

Cabinets have adjustable vinyl coated wire shelves with unique durable plastic shelf clips. The product pots and well liner are fully removable for easy cleaning. The preparation counters are designed with full width evaporators. Airflow to the product well is an "air over" ducted direct from the evaporator for maximum product cooling. Standard with pots and rear cutting board.

Model Number	LST350R	LST650R
External W x D x H (mm)	1225 x 765 x 1092	1845 x 765 x 1092
Nett Capacity (ltr)	340	540
Shelves	1 row	1 row
Doors	2	3
Voltage Hertz	220 - 240V 50HZ	220 - 240V 50HZ
Packed Weight (kg)	110	150
Temperature Range (°C)	2/+4	2/+4
Refrigerant Gas	R134a	R134a
Insulation Gas	CFC free	CFC free
1/3rd pots 150mm included	12	18
Insulation Thickness (mm)	60	60
Max. Ambient Temp (°C)	32	32
Exterior Material	S/S AISI430	S/S AISI430
Interior Material	S/S AISI304	S/S AISI430

### Options

Glass Canopy

Stainless Steel Rear Panel

# PREP COUNTERS

## Refrigerated Preparation Counters



MGCR-150DW



HABS gastronorm refrigerated preparation counters are designed to hold 1/3rd gastronorm pots that are 100mm deep. These countertops are finished in 304 stainless steel and are available in two sizes. Features include: Fan forced evaporator cooling, Carel electronic thermostat for perfect temperature control, Danfoss compressor and heated facia.

Model Number	MGCR-150DW	MGCR-180DW
External W x D x H (mm) (with legs)	1502 x 750 x 850	1802 x 750 x 850
Internal W x D x H (mm)	1100 x 590 x 550	1400 x 590 x 550
Nett Capacity (ltr)	385	490
Number of Pots (not include)	4	6
Voltage Hertz	220 - 240V 50HZ	220 - 240V 50HZ
Compressor	Danfoss	Danfoss
Weight Empty (kg)	120	140
Max. Power Consumption Watt per 24Kwh/24h	375w	385w
Temperature Range (°C)	+2/+8	+2/+8
Refrigerant Gas	R134a	R134a
Insulation Gas	CFC free	CFC free
Insulation Thickness (mm)	50	50
Max. Ambient Temp (°C)	32	32
Exterior Material	S/S AISI304	S/S AISI304
Interior Material	S/S AISI304	S/S AISI304