

LION SERIES

Hot, cold and ambient floor standing display cases.

Our range of SQUARE glass cases will enhance any food display requirements. Ideally designed for the placement in outlets such as bakeries, cafes, restaurant and food courts.

All cabinets are quality fitted double-glazed heated glass, LED lighting, range of modular sizing and adjustable shelving.



LION SERIES

Lion Series - Square Glass Cold Floor Standing



HBS1500SC



HBS1200SC

HABS new line of square glass COLD displays. Cabinets are designed with a top mounted fan assisted cross fin coil to ensure even and gentle air flow throughout the cabinet.

Fitted with LED lighting on all shelves, adjustable flat or angled shelves with black plastic coated wire shelves Double glazed heated glass to control condensation. The cooling system is designed to direct hot air towards the rear of the cabinet.

	COLD				
Model Number	HBS660SC	HBS1200SC	HBS1500SC	HBS1800SC	HBS2000SC
External W x D x H (mm) (Inc.. castors)	660 x 740 x 1360	1200 x 740 x 1360	1500 x 740 x 1360	1800 x 740 x 1360	2000 x 740 x 1360
Stainless steel finish	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304
DG Heated Low-E	STD	STD	STD	STD	STD
Refrigerant	R134a	R134a	R134a	R134a	R134a
Temperature Range (°C)	+2/+6	+2/+6	+2/+6	+2/+6	+2/+6
Max. Ambient Temp (°C)	32	32	32	32	32
Top Fan assisted Evap coil	STD	STD	STD	STD	STD
Shelves black wire	3	3	3	3	3
LED Shelf lights	STD	STD	STD	STD	STD
Top Lights LED	1	1	1	1	1
Rear Sliding / Hinged Door	Hinged	Sliding x 2	Sliding x 2	Sliding x 4	Sliding x 4
Integral Condenser Unit Removable	POA	POA	POA	POA	POA


Options

Additional Shelf (SH)

Glass Shelves

LION SERIES

Lion Series - Square Glass Hot & Open Floor Standing



HBS1200SH

Square glass HOT. Shown here in S/S with three levels of shelves. Humidifier +70 deg

Water tray for hot displays shown here



HBS1000SCO

Open COLD Stainless steel finish two levels of adjustable shelves. Fan assisted coil from the base fitted with LED lighting. Cold +2/+4 deg



HABS new line of square glass HOT and OPEN displays. Cabinets are designed with a top mounted fan assisted cross fin coil to ensure even and gentle air flow throughout the cabinet. Fitted with LED lighting on all shelves, adjustable flat or angled shelves with black plastic coated wire shelves and double glazed heated glass. The hot cabinet is fitted with a humidifier to control moisture.

	HOT			OPEN	
Model Number	HBS660SH	HBS1000SH	HBS1200SH	HBS1000SHO	HBS1000SCO
External W x D x H (mm) (Inc.. castors)	660 x 740 x 1360	1000 x 740 x 1360	1200 x 740 x 1360	1000 x 740 x 1360	1000 x 740 x 1360
Stainless steel finish	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304
Refrigerant	N/A	N/A	N/A	R134a	R134a
Base Fan assisted Evap coil	N/A	N/A	N/A	STD	STD
Glass DG Heated Low-E / SG	DG	DG	DG	SG open	SG open
Shelves black wire	3	3	3	S/S tray	S/S tray
LED Shelf lights	STD	STD	STD	STD	STD
Top Lights LED	1	1	1	1	1
Rear Sliding / Hinged Door	Hinged	Sliding x 2	Sliding x 2	N/A	N/A
Integral Condenser Unit Removable	N/A	N/A	N/A	POA	POA
Glass shelves	3	3	3	2	2
Temperature Range (°C)	+70 deg	+70 deg	+70 deg	+2/+6	+2/+6
Max. Ambient Temp (°C) Climate class 3	N/A	N/A	N/A	25	25

Options

Additional Shelf (SH)

Glass Shelves

LION SERIES

Lion Series - Square Glass Ambient Floor Standing



HBS1200SA
Cooling temperature at +10/+16 degrees

HABS new line of square glass AMBIENT displays.

These refrigerated ambient cabinets are designed with a top mounted fan assisted cross fin coil to ensure even and gentle air flow throughout the entire cabinet.

Fitted with LED lighting on all shelves, adjustable flat or angled shelves with black plastic coated wire shelves double glazed.

	AMBIENT				
Model Number	HBS660SA	HBS1200SA	HBS1500SA	HBS1800SA	HBS2000SA
External W x D x H (mm) (Inc.. castors)	660 x 740 x 1360	1200 x 740 x 1360	1500 x 740 x 1360	1800 x 740 x 1360	2000 x 740 x 1360
Stainless steel finish	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304
DG Heated Low-E	STD	STD	STD	STD	STD
Refrigerant	R134a	R134a	R134a	R134a	R134a
Top Fan assisted Evap coil	STD	STD	STD	STD	STD
Shelves black wire	3	3	3	3	3
LED Shelf lights	STD	STD	STD	STD	STD
Top Lights LED	1	1	1	1	1
Rear Sliding / Hinged Door	Hinged	Sliding x 2	Sliding x 2	Sliding x 4	Sliding x 4
Integral Condenser Unit Removable	POA	POA	POA	POA	POA
Temperature Range (°C)	+10/+16	+10/+16	+10/+16	+10/+16	+10/+16
Max. Ambient Temp (°C)	32	32	32	32	32

Options

Additional Shelf (SH)

Glass Shelves

LION SERIES

Lion Series - Square Glass Cold Floor Standing (Low Line 1200mm high)



HBS1200SCL
Shown here in with three levels of shelves.
Standard is two levels.
(Note: cabinet is 1200mm high)

HABS new line of low square glass COLD displays. Cabinets are designed with a top mounted fan assisted cross fin coil to ensure even and gentle air flow throughout the cabinet. Fitted with LED lighting on all shelves, adjustable flat or angled shelves with black plastic coated wire shelves Double glazed heated glass to control condensation. The cooling system is designed to direct hot air towards the rear of the cabinet.

Model Number	HBS1200SCL	HBS1500SCL	HBS1800SCL
External W x D x H (mm) (inc.. castors)	1200 x 725 x 1200	1500 x 725 x 1200	1800 x 725 x 1200
Stainless steel finish	S/S AISI304	S/S AISI304	S/S AISI304
DG Heated Low-E	STD	STD	STD
Refrigerant	R134a	R134a	R134a
Top Fan assisted Evap coil	STD	STD	STD
Shelves black wire	2	2	2
LED Shelf lights	STD	STD	STD
Top Lights LED	1	1	1
Rear Sliding	Sliding x 2	Sliding x 2	Sliding x 4
Integral Condenser Unit Removable	POA	POA	POA
Temperature Range (°C)	+2/+6	+2/+6	+2/+6
Max. Ambient Temp (°C)	32	32	32

Options

Additional Shelf (SH)

Glass Shelves

TIGER SERIES

Hot, Cold, Ambient and Bain Marie floor standing display cases.

Our range of CURVED glass cases will enhance any food display requirements. Ideally designed for the placement in outlets such as bakeries, cafes, restaurants and food courts. All cabinets are quality fitted double-glazed heated glass, LED lighting, range of modular sizing and adjustable shelving.



TIGER SERIES

Tiger Series - Curved Glass Cold Floor Standing



HBS1800CC

HBS660CC

HABS new line of curved glass COLD displays. Cabinets are designed with a top mounted fan assisted cross fin coil to ensure even and gentle air flow throughout the cabinet. Fitted with LED lighting on all shelves, adjustable flat or angled shelves with black plastic coated wire shelves. Double glazed heated glass to control condensation. The cooling system is designed to direct hot air towards the rear of the cabinet.

	COLD				
Model Number	HBS660CC	HBS1200CC	HBS1500CC	HBS1800CC	HBS2000CC
External W x D x H (mm) (Inc. castors)	660 x 740 x 1360	1200 x 740 x 1360	1500 x 740 x 1360	1800 x 740 x 1360	2000 x 740 x 1360
Stainless steel finish	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304
DG Heated Low-E	STD	STD	STD	STD	STD
Refrigerant	R134a	R134a	R134a	R134a	R134a
Temperature Range (°C)	+2/+6	+2/+6	+2/+6	+2/+6	+2/+6
Max. Ambient Temp (°C)	32	32	32	32	32
Top Fan assisted Evap coil	STD	STD	STD	STD	STD
Shelves black wire	3	3	3	3	3
LED Shelf lights	STD	STD	STD	STD	STD
Top Lights LED	1	1	1	1	1
Rear Sliding / Hinged Door	Hinged	Sliding x 2	Sliding x 2	Sliding x 4	Sliding x 4
Integral Condenser Unit Removable	POA	POA	POA	POA	POA

Options

Additional Shelf (SH)

Glass Shelves

TIGER SERIES

Tiger Series - Curved Glass Hot & Open Floor Standing



HBS660CH
Shown here in stainless steel and glass shelves.
Humidifier +70 deg.



HBS1000CCO
Open cold display.

HABS new line of curved glass HOT and OPEN displays. Cabinets are designed with a top mounted fan assisted cross fin coil to ensure even and gentle air flow throughout the cabinet. Fitted with LED lighting on all shelves, adjustable flat or angled shelves with black plastic coated wire shelves double glazed. The hot cabinet is fitted with a humidifier to control moisture.

	HOT			OPEN HOT	OPEN COLD
Model Number	HBS660CH	HBS1000CH	HBS1200CH	HBS1000CHO	HBS1000CCO
External W x D x H (mm) (Inc.. castors)	660 x 740 x 1360	1000 x 740 x 1360	1200 x 740 x 1360	1000 x 740 x 1360	1000 x 740 x 1360
Stainless steel finish	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304
Refrigerant	N/A	N/A	N/A	N/A	R134a
Base Fan assisted Evap coil	N/A	N/A	N/A	N/A	STD
Glass DG Heated Low-E / SG	DG	DG	DG	SG open	SG open
Shelves black wire	3	3	3	S/S tray	S/S tray
LED Shelf lights	STD	STD	STD	STD	STD
Top Lights LED	1	1	1	1	1
Rear Sliding / Hinged Door	Hinged	Sliding x 2	Sliding x 2	N/A	N/A
Integral Condenser Unit Removable	N/A	N/A	N/A	N/A	POA
Chrome Wire Shelves	3	3	3	2 x S/S Tray	2 x S/S Tray
Temperature Range (°C)	+70 deg	+70 deg	+70 deg	+70 deg	+2/+6
Max. Ambient Temp (°C) Climate class 3	N/A	N/A	N/A	N/A	25

Options

Additional Shelf (SH)

Chrome Wire Shelves

TIGER SERIES

Tiger Series - Curved Glass Ambient Floor Standing



HBS1800CA

Shown here in stainless steel with glass shelves.
Cooling temperature at +10/+16 degrees

HABS new line of curved glass AMBIENT displays.

These refrigerated ambient cabinets are designed with a top mounted fan assisted cross fin coil to ensure even and gentle air flow throughout the entire cabinet. Fitted with LED lighting on all shelves, adjustable flat or angled shelves with black plastic coated wire shelves double glazed.

	AMBIENT				
Model Number	HBS660CA	HBS1200CA	HBS1500CA	HBS1800CA	HBS2000CA
External W x D x H (mm) (Inc.. castors)	660 x 740 x 1360	1200 x 740 x 1360	1500 x 740 x 1360	1800 x 740 x 1360	2000 x 740 x 1360
Stainless steel finish	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304
DG Heated Low-E	STD	STD	STD	STD	STD
Refrigerant	R134a	R134a	R134a	R134a	R134a
Temperature Range (°C)	+10/+16	+10/+16	+10/+16	+10/+16	+10/+16
Max. Ambient Temp (°C)	32	32	32	32	32
Top Fan assisted Evap coil	STD	STD	STD	STD	STD
Shelves black wire	3	3	3	3	3
LED Shelf lights	STD	STD	STD	STD	STD
Top Lights LED	1	1	1	1	1
Rear Sliding / Hinged Door	Hinged	Sliding x 2	Sliding x 2	Sliding x 4	Sliding x 4
Integral Condenser Unit Removable	POA	POA	POA	POA	POA

Options

Additional Shelf (SH)

Glass Shelves

TIGER SERIES

Tiger Series - Curved Glass Cold Bain Marie



HBS1200BMC
Cold Bain Marie.

HABS new line of curved glass Bain Marie displays. Cabinets are designed with a top mounted fan assisted cross fin coil to ensure even and gentle air flow throughout the cabinet. Fitted with LED lighting. Cabinets are designed to fit 1 x 1 Gastronorm trays. Fitted with double-glazed rear sliding doors. 304 Stainless steel finish.

	COLD				
Model Number	HBS1000BMC	HBS1200BMC	HBS1500BMC	HBS1800BMC	HBS2000BMC
External W x D x H (mm) (Inc.. castors)	1000 x 740 x 1360	1200 x 740 x 1360	1500 x 740 x 1360	1800 x 740 x 1360	2000 x 740 x 1360
Stainless steel finish	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304
Refrigerant	R134a	R134a	R134a	R134a	R134a
Base Fan assisted Evap coil	STD	STD	STD	STD	STD
Glass DG Heated Low-E / SG	DG	DG	DG	DG	DG
LED Shelf lights	STD	STD	STD	STD	STD
Top Lights LED	1	1	1	1	1
Integral Condenser Unit Removable	POA	POA	POA	POA	POA
Temperature Range (°C)	+2/+6	+2/+6	+2/+6	+2/+6	+2/+6
Max. Ambient Temp (°C)	32	32	32	32	32
Rear Sliding / Hinged Door	Sliding x 2	Sliding x 2	Sliding x 2	Sliding x 4	Sliding x 4
Number of Pans	2	3	4	5	6
Casters	STD	STD	STD	STD	STD

TIGER SERIES

Tiger Series - Curved Glass Hot Bain Marie



HBS1200BMH
Hot Bain Marie.

HABS new line of curved glass HOT Bain Marie displays. Fitted with LED lighting. Cabinets are designed to fit 1 x 1 Gastronorm trays. Fitted with double-glazed rear sliding doors. 304 Stainless steel finish.

	HOT				
Model Number	HBS1000BMH	HBS1200BMH	HBS1500BMH	HBS1800BMH	HBS2000BMH
External W x D x H (mm) (Inc.. castors)	1000 x 740 x 1360	1200 x 740 x 1360	1500 x 740 x 1360	1800 x 740 x 1360	2000 x 740 x 1360
Stainless steel finish	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304	S/S AISI304
SG Toughened Safety Glass	STD	STD	STD	STD	STD
Top Lights LED	1	1	1	1	1
Rear Sliding / Hinged Door	Sliding x 2	Sliding x 2	Sliding x 2	Sliding x 2	Sliding x 2
Temperature Range (°C)	+70 deg	+70 deg	+70 deg	+70 deg	+70 deg
Castors	STD	STD	STD	STD	STD
Number of Pans	2	3	4	5	6

PANTHER SERIES

HABS compact square glass counter top displays are ideal for that tight spot that may still require both Cold and Hot displays. Create impulse sales with one of these eye catching displays. All units are easy to clean with removable doors and shelves. Watch sales increase with minimal expense to your business.

PANTHER SERIES



PANTHER SERIES

Panther Series - Square Glass Countertop Hot & Cold



HABS square glass counter top HOT and COLD cabinets are standard with double glazed glass, fan assisted refrigeration. Fan assisted hot element, LED lighting and black powder coat finish as standard. Carrel temperature display. Sliding rear doors removable.

	COLD		HOT	
Model Number	HBS120SC	HBS160SC	HBS120SH	HBS160SH
External W x D x H (mm) (Inc. castors)	700 x 568 x 688	878 x 568 x 688	684 x 568 x 688	862 x 568 x 688
Black powder coat finish	STD	STD	STD	STD
Glass DG	DG	DG	SG	SG
Refrigerant	R134a	R134a	N/A	N/A
Shelves	2	2	3	3
LED Shelf lights	STD	STD	STD	STD
Top Lights LED	1	1	1	1
Rear Sliding Doors	2	2	2	2
Temperature range	+4/+6	+4/+6	+60/+70	+60/+70

Options
Additional Shelf (SH)

LEOPARD SERIES

HABS compact curved glass counter top displays are ideal for that tight spot that still require Cold and Hot display. Create impulse sales with these eye catching displays. All units are easy to clean with removable doors and shelves. Watch sales increase with minimal expense to your business.

LEOPARD SERIES



LEOPARD SERIES

Leopard Series - Curved Glass Countertop Hot & Cold



HABS curved glass counter top HOT and COLD cabinets are standard with double glazed glass, fan assisted refrigeration. Fan assisted hot element, LED lighting and black powder coat finish as standard. Carel temperature display. Sliding rear doors removable.

	COLD		HOT	
Model Number	HBS120CC	HBS160CC	HBS120CH	HBS160CH
External W x D x H (mm) (Inc.. castors)	700 x 568 x 688	878 x 568 x 688	684 x 568 x 688	862 x 568 x 688
Black powder coat finish	STD	STD	STD	STD
Glass DG	DG	DG	SG	SG
Refrigerant	R134a	R134a	N/A	N/A
Shelves	2	2	3	3
LED Shelf lights	STD	STD	STD	STD
Top Lights LED	1	1	1	1
Rear Sliding Doors	2	2	2	2
Temperature range	+4/+6	+4/+6	+60/+70	+60/+70

Options

Additional Shelf (SH)